








	DETAILS	PRODUCTION / APPLICATION	CARE INSTRUCTIONS / ACCESSORIES
	Adheres to: • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather ----- <b>Blade:</b> 45°/60° <b>Composition:</b> PU <b>Microns/Mils:</b> 90/3.5	• Cut in reverse • Weed • Preheat garment for 2-3 seconds ----- <b>Temp:</b> 305° F/150° C <b>Pressure:</b> Medium <b>Time:</b> 10-15 sec. <b>Peel:</b> HOT or COLD For best performance, cover and reheat for 2-3 seconds	• Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting ----- Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet
	Adheres to: • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Lightly siliconed nylon ----- <b>Blade:</b> 45°/60° <b>Composition:</b> PU <b>Microns/Mils:</b> 85/3.5	• Cut in reverse • Weed • Preheat garment for 2-3 seconds ----- <b>Temp:</b> 320° F/160° C <b>Pressure:</b> Light-Medium <b>Time:</b> 10sec. <b>Peel:</b> HOT or COLD For best performance, cover and reheat for 2-3 seconds	• Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting ----- Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet
	Adheres to: • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Sublimated polyester ----- <b>Blade:</b> 45°/60° <b>Composition:</b> PU <b>Microns/Mils:</b> 90/3.5	• Cut in reverse • Weed • Preheat garment for 2-3 seconds ----- <b>Temp:</b> 305° F/150° C <b>Pressure:</b> Medium <b>Time:</b> 15sec. <b>Peel:</b> HOT or COLD For best performance, cover and reheat for 2-3 seconds	• Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting ----- Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet
	Adheres to: • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather • Lycra® / Spandex ----- <b>Blade:</b> 45°/60° <b>Composition:</b> PU <b>Microns/Mils:</b> 90/3.5	• Cut in reverse • Weed • Preheat garment for 2-3 seconds ----- <b>Temp:</b> 305° F/150° C <b>Pressure:</b> Medium-Firm <b>Time:</b> 15sec. <b>Peel:</b> HOT or COLD For best performance, cover and reheat for 2-3 seconds	• Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting ----- Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet
	Adheres to: • 100% cotton • Poly/cotton blends • 100% uncoated polyester • ----- <b>Blade:</b> 45°/60° <b>Composition:</b> PU <b>Microns/Mils:</b> 90/3.5	• Cut in reverse • Weed • Preheat garment for 2-3 seconds ----- <b>Temp:</b> 305° F/150° C <b>Pressure:</b> Medium-Firm <b>Time:</b> 15sec. <b>Peel:</b> HOT or COLD For best performance, cover and reheat for 2-3 seconds	• Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting ----- Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet
	Adheres to: • 100% cotton • Poly/cotton blends • 100% uncoated polyester • Leather ----- <b>Blade:</b> 45°/60° <b>Composition:</b> PVC <b>Microns/Mils:</b> 160-190/6.3-7.5	• Cut in reverse • Weed • Preheat garment for 2-3 seconds ----- <b>Temp:</b> 305° F/150° C <b>Pressure:</b> Medium-Firm <b>Time:</b> 15sec. <b>Peel:</b> COLD For best performance, cover and reheat for 2-3 seconds	• Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting ----- Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet
	Adheres to: • 100% cotton • Poly/cotton blends • 100% uncoated polyester ----- <b>Blade:</b> 45°/60° <b>Composition:</b> PVC <b>Microns/Mils:</b> 190/7.5	• Cut in reverse • Weed • Preheat garment for 2-3 seconds ----- <b>Temp:</b> 275° F/135° C <b>Pressure:</b> Medium <b>Time:</b> 10 sec. <b>Peel:</b> COLD For best performance, cover and reheat for 2-3 seconds	• Wait 24 hours before first wash • Machine wash warm with mild detergent • Do not dry clean • Hang item to dry • Do not bleach • Dry at normal setting ----- Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet

\* Due to variances in the manufacturing process of fabrics, Siser highly recommends testing prior to production.

	DETAILS	PRODUCTION / APPLICATION	CARE INSTRUCTIONS / ACCESSORIES
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester • Leather</li> <li>• Sublimated polyester</li> </ul> <p>-----</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PVC    <b>Microns/Mils:</b> 75/3.0</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 305° F/150° C    <b>Pressure:</b> Medium    <b>Time:</b> 10-15 sec.    <b>Peel:</b> COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Hand wash in cold water • Do not bleach</li> <li>• Do not dry clean • Hang item to dry</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
*Metallic is a unique product – cracking and delamination may occur after washing. Results are not predictable.			
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% uncoated polyester</li> <li>• Poly/cotton blends</li> <li>• Lightly siliconed nylon • Leather</li> </ul> <p>-----</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PVC    <b>Microns/Mils:</b> 410/16.1</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 305° F/150° C    <b>Pressure:</b> Medium    <b>Time:</b> 10-15 sec.    <b>Peel:</b> COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm / mild detergent</li> <li>• Do not bleach • Do not dry clean</li> <li>• Dry at normal setting • Turn inside out</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester • Leather</li> <li>• Sublimated polyester</li> </ul> <p>-----</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PVC    <b>Microns/Mils:</b> 410/16.1</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 320° F/160° C    <b>Pressure:</b> Medium    <b>Time:</b> 15-20 sec.    <b>Peel:</b> COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm / mild detergent</li> <li>• Do not bleach • Do not dry clean</li> <li>• Dry at normal setting • Turn inside out</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester</li> <li>• Lycra®/spandex • Leather</li> </ul> <p>-----</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PVC    <b>Microns/Mils:</b> 135-180/5.3-7.1</p>	<ul style="list-style-type: none"> <li>• Remove Liner • Cut in reverse</li> <li>• Weed • Preheat garment for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 305° F/150° C    <b>Pressure:</b> Medium    <b>Time:</b> 5 sec.    <b>Peel:</b> HOT</p> <p>Cover and apply for an additional 5 seconds</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm / mild detergent</li> <li>• Do not bleach • Do not dry clean</li> <li>• Dry at normal setting • Turn inside out</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester • Leather</li> <li>• Lightly siliconed nylon</li> <li>• Lycra®/spandex</li> <li>• Sublimated polyester</li> </ul> <p>-----</p> <p><b>Blade:</b> 60°    <b>Composition:</b> PU    <b>Microns/Mils:</b> 325/12.8</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 320° F/160° C    <b>Pressure:</b> Firm    <b>Time:</b> 10-15 sec.    <b>Peel:</b> HOT</p> <p>Can be used as a top layer for other materials. Not recommended to be layered on itself</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm / mild detergent</li> <li>• Do not bleach • Do not dry clean</li> <li>• Dry at normal setting • Turn inside out</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>
	<p>Adheres to:</p> <ul style="list-style-type: none"> <li>• 100% cotton • Poly/cotton blends</li> <li>• 100% uncoated polyester • Leather</li> <li>• Sublimated polyester</li> </ul> <p>-----</p> <p><b>Blade:</b> 45°/60°    <b>Composition:</b> PVC    <b>Microns/Mils:</b> 110/4.3</p>	<ul style="list-style-type: none"> <li>• Cut in reverse</li> <li>• Weed</li> <li>• Preheat garment for 2-3 seconds</li> </ul> <p>-----</p> <p><b>Temp:</b> 320° F/160° C    <b>Pressure:</b> Medium    <b>Time:</b> 15-20 sec.    <b>Peel:</b> COLD</p> <p>For best performance, cover and reheat for 2-3 seconds</p>	<ul style="list-style-type: none"> <li>• Wait 24 hours before first wash</li> <li>• Machine wash warm / mild detergent</li> <li>• Do not bleach • Do not dry clean</li> <li>• Dry at normal setting • Turn inside out</li> </ul> <p>-----</p> <p>Recommended Accessories: Siser weeder, multipurpose paper, heat transfer cover sheet</p>

Visit us online at [SiserNA.com](http://SiserNA.com) for application videos, DigiPatterns™ and printable versions of our Tech Sheets

